


C17-0R518 DIRECTIONAL COUPLER

DEVICE OVERVIEW

General Description

The C17-0R518 is a high power, broadband bidirectional coupler capable of operation to 18 GHz. The multisection stripline design exhibits excellent coupling flatness and VSWR at all ports. This coupler is available with SMA and APC-7 connector option.




Features

- Low Insertion Loss
- High Power Handling
- Broadband Performance
- High Directivity
- Low VSWR

Applications

N/A

Functional Block Diagram



Part Ordering Options

Part Number	Description	Connectors	Green Status	Product Lifecycle	Export Classification
C17-0R518	DIRECTIONAL COUPLER	<u>Standard</u>	REACH RoHS	Released	EAR99

Table Of Contents

- **Device Overview**
 - General Description
 - Features
 - Applications
 - Functional Block Diagram
- **Revision History**
- **Specifications**
 - Absolute Maximum Ratings
 - Package Information
 - Electrical Specifications
 - Typical Performance Plots
- **Mechanical Data**
 - Outline Drawing

Revision History

Revision Code	Revision Date	Comment
A	2021-02-01	Specs table update

Specifications

Absolute Maximum Ratings

Parameter	Maximum Rating	Unit
RF Power Handling	60	W
Minimum Storage Temperature	-65	°C
Maximum Storage Temperature	125	°C
Minimum Operating Temperature	-55	°C
Maximum Operating Temperature	100	°C

Package Information

Parameter	Details	Rating
Weight	-	600g
Dimensions	-	182.73 x 46.91mm

Electrical Specifications

The electrical specifications apply at TA=+25°C in a 50Ω system






Parameter	Test Conditions	Minimum Frequency (GHz)	Maximum Frequency (GHz)	Min	Typ	Max	Unit
Weight ¹	-	-	-	-	600	-	g
Amplitude Flatness ²	-	0.5	18	-	0.6	1.2	dB
Directivity	-	15	18	9	-	-	dB
Directivity	-	15	18	10	14	-	dB
Directivity	-	0.5	15	13	18	-	dB
Directivity	-	0.5	15	10	-	-	dB
Direct Line Insertion Loss	-	0.5	18	-	-	1.7	dB
Direct Line Insertion Loss ³	-	0.5	18	-	-	1.8	dB
Direct Line Insertion Loss	-	0.5	0.5	-	0.17	-	dB
Direct Line Insertion Loss	-	12	12	-	0.64	-	dB
Direct Line Insertion Loss	-	18	18	-	1	-	dB
Mean Coupling	-	0.5	18	-	17	-	dB
VSWR	-	15	18	-	1.45	-	
VSWR	-	0.5	15	-	1.35	1.58	
VSWR	-	0.5	15	-	-	2	

[1] Weight listed is for SMA connectorized package. Each APC-7 connector is an additional 50 grams.

[2] Deviation from average coupling.

[3] Max and min values given for SMA (APC-7) connectors.


Typical Performance Plots



Mechanical Data

Outline Drawing

Download : [Outline 2D Drawing](#) | [Outline 3D Drawing](#) | [Outline 3D STP](#)



DISCLAIMER

MARKI MICROWAVE, LLC., ("MARKI") PROVIDES TECHNICAL SPECIFICATIONS AND DATA (INCLUDING DATASHEETS), APPLICATION OR OTHER DESIGN ADVICE, WEB TOOLS, AND OTHER INFORMATION AND RESOURCES "AS IS" AND WITH ALL FAULTS. MARKI DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, WITHOUT LIMITATION, ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT.

These resources are intended for developers skilled in the art designing with Marki products. You are solely responsible for (1) selecting the appropriate products for your application, (2) designing, validating, and testing your application, and (3) ensuring your application meets applicable standards and other requirements. Marki makes no guarantee regarding the suitability of its products for any particular purpose, nor does Marki assume any liability whatsoever arising out of your use or application of any Marki product.

Marki grants you permission to use these resources only for development of an application that uses Marki products. Other reproduction or use of these resources is strictly prohibited. No license is granted to any other Marki intellectual property or to any third-party intellectual property. Marki reserves the right to make changes to the product(s) or information contained herein without notice.

MARKI MICROWAVE and T3 MIXER are trademarks or registered trademarks of Marki Microwave, LLC. All other trademarks used are the property of their respective owners.

© 2021, Marki Microwave, LLC